UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/941,072	08/28/2001	David Goodman	**19-0088	5656
	23377 7590 11/18/2010 WOODCOCK WASHBURN LLP		EXAMINER	
CIRA CENTRE	E, 12TH FLOOR	LEROUX, ETIENNE PIERRE		
2929 ARCH STREET PHILADELPHIA, PA 19104-2891			ART UNIT	PAPER NUMBER
			2161	
			NOTIFICATION DATE	DELIVERY MODE
			11/18/2010	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

eofficemonitor@woodcock.com

		Application No.	Applicant(s)			
Office Action Summary		09/941,072	GOODMAN ET AL.			
		Examiner	Art Unit			
		Etienne P. LeRoux	2161			
Perio	The MAILING DATE of this communication ap	ppears on the cover sheet with the	correspondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status	•					
1)	☐ Responsive to communication(s) filed on 28.	October 2010				
2a)	<u> </u>	is action is non-final.				
3)			osecution as to the merits is			
- //	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Dispo	sition of Claims	•				
4)	☑ Claim(s) <u>1-4,6-34 and 40-43</u> is/are pending ir	n the application.				
,	4a) Of the above claim(s) is/are withdrawn from consideration.					
5)	5) Claim(s) is/are allowed.					
•	6)⊠ Claim(s) <u>1-4,6-34 and 40-43</u> is/are rejected.					
7)	_					
•	☐ Claim(s) are subject to restriction and/	or election requirement.				
Applie	cation Papers					
	<u> </u>	ner				
	9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.					
10)	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
	ry under 35 U.S.C. § 119					
	<u> </u>	un priority under 35 H.S.C. & 119(a)-(d) or (f)			
12)	12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:					
	1. Certified copies of the priority documents have been received.					
	2. Certified copies of the priority documents have been received in Application No					
	3. Copies of the certified copies of the priority documents have been received in this National Stage					
	application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.						
Attachi	nent(s)					
_	lotice of References Cited (PTO-892)	4) Interview Summary	y (PTO-413)			
2) 🔲 N	otice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail D	oate			
. —	nformation Disclosure Statement(s) (PTO/SB/08) aper No(s)/Mail Date	5)	Patent Application			

Application/Control Number: 09/941,072

Art Unit: 2161

Claim Status

Page 2

Claims 1-4, 6-34 and 40-43 are pending.

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 1-4, 6-19, 40, 42 and 43 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

Claim 1 claims a method for tracking files on a storage medium without tying the method to a particular machine. In fact, the method steps recited by claim 1 can be done manually by a person who manually creates a first label that is manually attached to the storage portion of the storage medium. Furthermore, the person can create a second label that is manually attached to the external portion of the storage medium such as a housing/cover for the storage medium.

Claims 2-14, 40 and 43 are rejected for at least being dependent from a rejected base claim.

Claim 15 recites a method for matching file parameters with one or more external storage media without tying the method to a particular machine.

Claims 16-19 and 42 are rejected for at least being dependent from a rejected base claim

Application/Control Number: 09/941,072 Page 3

Art Unit: 2161

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 1-4, 6-19, 40, 42 and 43 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Claim 1 recites "providing a command to generate the second label based on the first label." The specification does not include first label nor does the specification include second label.

Claims 15-19 and 42 are rejected on a similar basis.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claim 15 is rejected under 35 U.S.C. 102(e) as being anticipated by Enari (US 6,747,998).

Regarding claim 15, Enari discloses:

accepting at least one search parameter from a set, the set comprising: file size, file author, and file type; [Enari, col 6, lines 25-30, CD order sent to dealer including title name of artist, time, genre]

generating a query based on the search parameters;

[Enari, col 6, lines 25-30, CD order sent to dealer including title name of artist, time, genre] accepting a record returned in response to the query generated;

[Enari, col 6, lines 30-35, CDs are stored in the warehouse]

determining a label corresponding to the record [Enari, col 6, lines 35-40, inputs information related to CD media necessary for search for stock control, col 6, lines 15-20, bar-code printers] determining an external storage medium, the label being fixed to an external portion of the external storage medium [Enari, Fig 11, bar-code printer 128 and bar-code reader 127]

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 16-19 and 36-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Enari and further in view of Koenck et al (US 6,749,122)...

Regarding claim 16, 36, Enari discloses the elements of the claimed invention as noted above but does not disclose wherein the label is a machine-readable label, the method further comprising:

accepting information read from the machine-readable label; and determining that the accepted information read from the machine-readable label matches information associated with the record; and generating a first indicator, said first indicator able to be perceived by humans. Koenck discloses wherein the label is a machine-readable label, the method further comprising: accepting information read from the machine-readable label; and determining that the accepted information read from the machine-readable label matches information associated with the record; and generating a first indicator, said first indicator able to be perceived by humans [Koenck, col 28, lines 60-65]. It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Enari to include wherein the label is a machinereadable label, the method further comprising: accepting information read from the machinereadable label; and determining that the accepted information read from the machine-readable label matches information associated with the record; and generating a first indicator, said first indicator able to be perceived by humans as taught by Koenck for the purpose of providing a quick and easy confirmation to the user as is well-known and expected in the art. . Regarding claim 17, 37, the combination of Enari and Koenck discloses the elements of the claimed invention as noted above but does not disclose determining that the accepted information read from the machine-readable label does not match information associated with the record and generating a second indicator, said second indicator able to be perceived by humans. However, Koenck discloses the above limitation. It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the combination of Enari and Koenck to include determining that the accepted information read from the machinereadable label does not match information associated with the record and generating a second

indicator, said second indicator able to be perceived by humans for the purpose of providing a quick and easy indication to the user.

Regarding claim 18, 38, the combination of Enari and Koenck discloses wherein the first indicator is a first audible sound, and the second indicator is a second audible sound as argued above.

Regarding claim 19, 39, the combination of Enari and Koenck discloses the elements of the claimed invention as noted above but does not disclose wherein the label includes a human readable part, and wherein the information associated with the record corresponds to the human-readable part of the label. It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the above combination of references to include wherein the label includes a human readable part, and wherein the information associated with the record corresponds to the human-readable part of the label because human-readable labels are well-known and expected in the art for the purpose of quick and easy identification of an object.

Claims 1-4, 6-14, 20-35 and 40-43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ottesen et al (US 6,222,697) in view of Sun et al (US 6,239,934) and further in view of Enari (US 6,747,998) and further in view of Rothberg et al (US 6,412,083).

Ottesen discloses:

Regarding claim 1, 20, 32, 33, 35, 40, 41, 42, 43,

determining that the storage medium has not been assigned a first label, the first label uniquely identifying the storage medium [Ottesen, col 3, line 50 - col 4, line 10]

Ottesen discloses the elements of the claimed invention as noted above but does not disclose a second label. Sun discloses a second label [Sun, Fig 7B-1, bar code label 115, col 5, lines 35-50] It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Ottesen to include a second label as taught by Sun for the purpose of identifying the disk and/or the contents of the disk [Sun, col 5, lines 45-50]. The ordinarily skilled artisan would have been motivated to combine Ottesen and Sun because they both teach identifying a disk/disk drive by means of a bar-code.

The combination of Ottesen and Sun discloses writing the first label to a storage portion of the storage medium [Ottesen, col 5, lines 15-40 and Figs 2-4, DINUM 30,]

The combination of Ottesen and Sun discloses the elements of the claimed invention as noted above but does not disclose providing a command to generate the second label based on the first label. Enari discloses providing a command to generate the second label [Enari, col 6, lines 15-25, Fig 11, barcode printer 128]. It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the above combination of references to include providing a command to generate the second label for the purpose of producing a bar-code label to be attached to an outside surface of the storage medium. The ordinarily skilled artisan would have been motivated to combine the teachings of Ottesen and Sun with the teaching of Enari because the above references disclose one or more bar-code labels for a storage medium.

The combination of Ottesen, Sun and Enari discloses the second label based on the first label [Ottesen, col 4, lines 5-10, Sun, col 5, lines 45-50].

The combination of Ottesen, Sun and Enari disclose the second label to be associated with an external portion of the storage medium [Sun, Fig 7B-1, bar code label 115, col 5, lines 35-50]

The combination of Ottesen, Sun and Enari disclose the elements of the claimed invention as noted above but does not disclose updating a database with an association between each file stored on the storage medium. Rothberg disclose updating a database with an association between each file stored on the storage medium [Rothberg, col 5, lines 20-40, Fig 3]. It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the above combination of references to include updating a database with an association between each file stored on the storage medium as taught by Rothberg for the purpose of tracking the files on the storage medium by means of a directory [Rothberg, col 5, lines 20-40, Fig 3]. The ordinarily skilled artisan would have been motivated to combine Rothberg with the combination of Ottesen, Sun and Enari because Ottesen discloses a computer database of defects on a disk using the DINUM or Disk Identification Number [col 4, lines 1-10] and Rothberg discloses a directory of files on the disk [col 5, lines 20-40].

The combination of Ottesen, Sun, Enari and Rothberg discloses and a value associated with the first label [Ottesen, col 3, line 50 – col 4, line 10, col 5, lines 15-40].

The combination of Ottesen, Sun, Enari and Rothberg discloses in response to determining that a first file contained on the storage medium has been deleted, updating the database to reflect that the first file has been deleted [Rothberg, col 5, lines 20-40, Fig 3, step 330]

Regarding claim 2, 21, 34, the combination of Ottesen, Sun, Enari and Rothberg discloses wherein the database is stored on a first device, further comprising: synchronizing the database with a second database stored on a second device [Rothberg, col 5, lines 20-40, Fig 3, Enari, Fig 11, 127]

Regarding claim 3, 22, the combination of Ottesen, Sun, Enari and Rothberg discloses wherein

Application/Control Number: 09/941,072

Art Unit: 2161

the first device is a personal computer and the second device is a handheld device [Rothberg, col 5, lines 20-40, Fig 3, Enari, Fig 11, 127].

Regarding claim 4, 23, the combination of Ottesen, Sun, Enari and Rothberg discloses wherein the second device is an untethered handheld device [Rothberg, col 5, lines 20-40, Fig 3, Enari, Fig 11, 127].

Regarding claim 6, 25, the combination of Ottesen, Sun, Enari and Rothberg discloses wherein the unique storage medium second label is a bar code label [Sun, Fig 7B-1, bar code label 115, col 5, lines 35-50]

Regarding claim 7, 26, the combination of Ottesen, Sun, Enari and Rothberg discloses determining the first label based, on state information accessible to a device upon which the database is stored [Ottesen, col 3, line 50 – col 4, line 10].

Regarding claim 8, 27, the combination of Ottesen, Sun, Enari and Rothberg discloses wherein the state information is a count sequence [Ottesen, col 3, line 50 – col 4, line 10].

Regarding claim 9, 28, the combination of Ottesen, Sun, Enari and Rothberg discloses the elements of the claimed invention as noted above but does not disclose wherein the database includes

records, each record including a first field having a value associated with the first label, and a second field having a value associated with a file stored on the storage medium. However, Rothberg discloses a directory of files stored on a storage medium [col 5, lines 20-40]. It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the above combination of references to include wherein the database includes records, each record including a first field having a value associated with the first label, and a

second field having a value associated with a file stored on the storage medium because creating a table in a database is well-known and expected in the art.

Regarding claim 10, 29, the combination of Ottesen, Sun, Enari and Rothberg discloses the elements of the claimed invention as noted above but does not disclose accepting information read from a label associated with the storage medium without reading the storage medium; converting the accepted information into a database key; requesting records from a database instance using the database key; accepting records in response to the request; and rendering information about the accepted records. However, Enari discloses a bar-code reader [Enari, Fig 11]. It would have been obvious to one of ordinary skill in the art to modify the above combination of references to include accepting information read from a label associated with the storage medium without reading the storage medium; converting the accepted information into a database key; requesting records from a database instance using the database key; accepting records in response to the request; and rendering information about the accepted records because the operation of a bar-code reader is well-known and expected in the art.

Regarding claim 11, 30, the combination of Ottesen, Sun, Enari and Rothberg discloses wherein the unique second label is a bar code and wherein the information read from the second label is accepted from a bar code scanner [Enari, Fig 11]

Regarding claim 12, 31, the combination of Ottesen, Sun, Enari and Rothberg discloses wherein the information about the accepted records rendered includes file names [Rothberg, col 5, lines 20-40].

Regarding claim 13, the combination of Ottesen, Sun, Enari and Rothberg discloses wherein the accepted information read from the unique second label is read by a handheld device, and the

information about the accepted records is rendered on the handheld device [Enari, Fig 11] Regarding claim 14, the combination of Ottesen, Sun, Enari and Rothberg discloses the elements of the claimed invention as noted above but does not disclose wherein the read label is converted into a database key by the handheld device, the records are requested from a database instance using the database key by the handheld device, and the records are accepted in response to the request by the handheld device. Enari discloses operation of a bar-code reader [Fig 11] and Rothberg discloses a file directory [col 5, lines 20-40]. It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the above combination of references to include wherein the read label is converted into a database key by the handheld device, the records are requested from a database instance using the database key by the handheld device, and the records are accepted in response to the request by the handheld device because the operation of bar-code reader is well-known and expected in the art. Regarding claim 24, the combination of Ottesen, Sun, Enari and Rothberg discloses wherein the means for reading files from and/or writing files to a removable storage medium are at least one of a floppy disk drive, a CD ROM drive, a ZIP drive, and a DVD drive [Fig 1].

Response to Arguments

Applicant's arguments filed 8/11/2010 have been fully considered but they are not persuasive for the reasons given below:

Applicant argues that Enari does not disclose the claim 15 limitation "determining an external storage medium, the label being affixed to an external portion of the external storage medium."

Examiner is not persuaded. During examination examiner is required to gives claim language its broadest reasonable interpretation in light of the specification. The specification may provide a specific and deliberate definition of one or more words in a claim. A specific and deliberate definition will be given priority over other possible interpretations of the claim language. The lack of a specific and deliberate definition will require the examiner to interpret the claim language as would have been well-known to one of ordinary skill in the art at the time of the invention.

The specification does not include the phrase "external storage medium." Furthermore, the specification does not include the word "external." Examiner will give "external storage medium" the interpretation as is well-known to one of ordinary skill in the art. Examiner will interpret "external" to mean on the outside. Furthermore, the abstract states:

ABSTRACT:

Helping users to track the contents (e.g., files) stored on various types of storage media without requiring the user to insert the storage media into a read device of a machine, such as a floppy drive of a personal computer, and/or helping users to locate desired content (e.g., a file) without having to insert numerous storage media into a read device of a machine. The contents of a given storage medium may be determined by associating a machine-readable label with each machine-readable medium, and the contents thereof. When a user wants to know the contents of the machine-readable medium, they merely need to have another device (e.g., a Palm Pilot provided with a bar code scanner) read the label. The device may include a database synchronized with a database managed by the machine which is used to write content to, and/or read content from, the machine-readable medium. A file may be found by (i) allowing a user to enter one or more search parameters into the device, such as a handheld, untethered device, (ii) generating a search query from the entered parameter(s), (iii) getting a search result(s) indicating the storage medium that includes the desired content, and (iv) helping the user to associate the indicated storage medium with the physical storage medium actually storing the desired content.

Examiner interprets "external storage medium" to mean storage medium that can be on the outside of a computing device such as a personal computer because the abstract teaches that the contents of one or more types of storage media can be tracked without requiring a user to Application/Control Number: 09/941,072

Art Unit: 2161

insert the storage medium into a read device of a machine. Because a user is not required to insert the storage medium into a read device of a machine such as a floppy drive of a personal computer, the storage medium is on the <u>outside</u> (emphasis added) of the read device and hence the computer.

Page 13

Enari discloses the below in column 6, lines 10-65:

In this system, since musical tunes are broadcast to each user through the satellite, CDs are used as the information source. The information source management system 111 carries out management of the CDs, that is, media, and management of musical tunes recorded on the CDs as the sound source. Therefore, the information source management system 111 has a CD stock control server 121. To this CD stock control server 121, a hard disk (mirror disk) 122 and an automatic MO changer 123 are connected. The hard disk 122 registers information necessary for an MO disk to be driven by the MO changer 123, and thus forms database.

24

Also, 12 units of stock control personal computers (PCs) 124 are connected to the CD stock control server 121. In this specification, these stock control PCs are described as stock control PC 124-1 to stock control PC 124-12 if the individual stock control PCs must be discriminated. If there is no need for discrimination, the stock control PCs are described simply as stock control PCs 124.

25

Moreover, in the information source management system 111, three network printers 125-1 to 125-3, an image scanner 126, a bar-code reader 127, and four bar-code printers 128-1 to 128-4 are provided. The network printers 125 are used for printing various forms. The bar-code printers 128 are used for printing bar codes to be attached to the managed CDs. The bar-code reader 127 is used for reading the bar code attached to each CD. The image scanner 126 is used for entering music, lyrics and other information accompanying the CDs.

26

All the information related to the CDs is stored in the database on the hard disk 122. CD stock control is carried out as follows. 1. A CD stock controller registers CD order information to the CD stock control server 121 from the stock control PC 124, and orders CDs by sending a CD order form outputted from the server 121 through the network printer 125 to a dealer. 2. As the CDs are stored in the warehouse, the CD stock controller registers warehouse information from the stock control PC 124, and inputs all the information related to CD media necessary for search for stock control and all the information related to the musical tunes (sound source) recorded on the CDs into the database of the CD stock control server 121. This information includes information inputted in the form of text such as the title, name of artist, time, genre, and keyword, and an jacket image inputted by the image scanner

126. In addition, the information includes information inputted in the form of electronic data such as detail information related to lyrics, albums or musical tunes, photograph, MIDI data, and timing of start of singing in karaoke. The information inputted here is information related with the album (all the tunes of CD) and musical tunes, and information accompanying or associated with them. This information does not include management information and hysteresis information related to transmission and broadcast. (These are registered to organization servers 141, as will be later described.) 3. The CD stock control server 121 stores the information onto the hard disk 122, then generates CD medium management numbers in the order of acceptance, and issues bar-code labels from the bar-code printer 128. 4. The CD stock controller stores the CDs on a management shelf in the order of the CD medium management numbers. 5. The CD user visits the reception desk of the information management system 111, then tells the CD medium management number, and thus can rent the CD.

27

In this information source management system 111, other media such as DAT, compact cassettes, and records are managed, too.

28

Examiner interprets "determining an external storage medium, the label being fixed to an external portion of the storage" as below. The storage medium (i.e., compact disk, CD) disclosed by Enari is clearly on the outside of the music broadcast system because "bar-code reader 127 is used for reading the bar code attached to each CD." The CD disclosed by Enari is external to the music broadcast system because the CD stock controller stores the CDs on a management shelf in the order of the CD medium management numbers. Enari anticipates determining the label being fixed to an external portion of the storage medium because Enari discloses bar-code printers 128 are used for printing bar codes to be attached to the managed CDs.

Applicant argues that the prior art made of record does not disclose "providing a command to generate the second label based on the first label" as recited in claim 1.

Examiner is not persuaded. Examiner is not persuaded. During examination examiner is required to gives claim language its broadest reasonable interpretation in light of the specification. The specification may provide a specific and deliberate definition of one or more words in a claim. A specific and deliberate definition will be given priority over other possible interpretations of the claim language. The lack of a specific and deliberate definition will require the examiner to interpret the claim language as would have been well-known to one of ordinary skill in the art at the time of the invention.

The specification does not include the phrase "second label based on the first label." Examiner will give first label and second label the interpretation as is well-known to one of ordinary skill in the art.

Ottesen discloses:

determining that the storage medium has not been assigned a first label, the first label uniquely identifying the storage medium [Ottesen, col 3, line 50 – col 4, line 10]

Ottesen discloses the elements of the claimed invention as noted above but does not disclose a second label. Sun discloses a second label [Sun, Fig 7B-1, bar code label 115, col 5, lines 35-50] It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Ottesen to include a second label as taught by Sun for the purpose of identifying the disk and/or the contents of the disk [Sun, col 5, lines 45-50]. The ordinarily skilled artisan would have been motivated to combine Ottesen and Sun because they both teach identifying a disk/disk drive by means of a bar-code.

The combination of Ottesen and Sun discloses writing the first label to a storage portion of the storage medium [Ottesen, col 5, lines 15-40 and Figs 2-4, DINUM 30,]

The combination of Ottesen and Sun discloses the elements of the claimed invention as noted above but does not disclose providing a command to generate the second label based on the first label. Enari discloses providing a command to generate the second label [Enari, col 6, lines 15-25, Fig 11, barcode printer 128]. It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the above combination of references to include providing a command to generate the second label for the purpose of producing a bar-code label to be attached to an outside surface of the storage medium. The ordinarily skilled artisan would have been motivated to combine the teachings of Ottesen and Sun with the teaching of Enari because the above references disclose one or more bar-code labels for a storage medium.

The combination of Ottesen, Sun and Enari discloses the second label based on the first label [Ottesen, col 4, lines 5-10, Sun, col 5, lines 45-50].

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Etienne P. LeRoux whose telephone number is (571) 272-4022. The examiner can normally be reached on Monday through Friday 8:00 am - 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Apu Mofiz can be reached on (571) 272-4080. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/941,072 Page 17

Art Unit: 2161

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Etienne P LeRoux/ Primary Examiner, Art Unit 2161

11/11/2010